



510 N Sheridan Road Suite D | Tulsa, OK 74115 | (918) 520-3441 | OMMA #: LAAA-OO95-HXSF

Report of Analysis

Report Status: Final

Client Name: Healing Harvest Growers, LLC dba Icy Melts Solventless
Address: 7794 N. Owasso Expressway Owasso, OK 74055
Phone: 305-927-7501
OMMA #: PAAA-EYQI-AI6X 09/15/2023
Collected:
Harvest/Production: 11/01/2024
Special Notes:

Lab ID: -16042
Strain: AVALANCHE-EVEREST
Matrix: Infused Pre-Rolls
Sample Batch #: 05135
Sample Weight: 10
Received: 11/13/2024



Summary of Results

Potency Profile		Terpene Profile	
Cannabinoid	Weight %	Terpene	Result %
CBDV	0.184	α-Pinene	0.0574
CBDA	ND	Camphene	< LOQ
CBN	ND	Myrcene	0.0982
CBD	ND	α-Terpinene	< LOQ
CBGA	1.03	β-pinene	0.0772
CBG	0.289	3-Carene	< LOQ
THCV	0.0827	Ocimene	< LOQ
Δ9-THC	7.18	Delta-limonene	0.407
Δ8-THC	ND	p-Cymene	< LOQ
THCA	27.6	Eucalyptol	< LOQ
CBC	ND	γ-Terpinene	< LOQ
Total THC Delta-9(%)		Terpinolene	< LOQ
Total THC Delta-9(mg/g)		Linalool	0.147
Total Cannabinoids (%)		Isopulegol	< LOQ
Total Cannabinoids (mg/g)		Geraniol	< LOQ
		β-Caryophyllene	0.570
		Humulene	0.246
		cis-Nerolidol	< LOQ
		trans-Nerolidol	< LOQ
		Nerolidol	< LOQ
		Guaiol	< LOQ
		Caryophyllene oxide	< LOQ
		α-Bisabolol	0.127
		Total Terpene %	1.83
Microbiological Profile		Pesticide Screening	
All Results	Pass	All Results	Pass
Mycotoxin Screening		Filtration and Foreign Materials Screening	
All Results	Pass	All Results	Pass
Residual Solvents			
All Results	Pass		
Heavy Metals Screening			
All Results	Pass		
Moisture Content			
All Results	Pass		

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
 Testing
 Accreditation #115041
 ISO/IEC 17025:2017 Accredited

Microbial Analysis

PASS**Date Completed:** 11/21/2024**Instrument:** Agilent AriaMx (qPCR)**Lab Tech:** Lab Technician

Analyte	Result (CFU/g)	Threshold (CFU/g)	Pass/Fail
Escherichia Coli (E. Coli)	ND *	1.00	Pass
Yeast/Mold	ND *	10,000	Pass
Salmonella spp	ND *	1.00	Pass
Aspergillus Niger	ND *	1.00	Pass
Aspergillus Fumigatus	ND *	1.00	Pass
Aspergillus Terreus	ND *	1.00	Pass
Aspergillus Flavus	ND *	1.00	Pass

*This test was performed by an outside third-party analytical laboratory. All third party laboratories used by Transparent Testing, LLC have ISO 17025 accreditation and OMMA laboratory license #LAAA-NYWH-5XOE.

Potency

Date Completed: 11/21/2024**Instrument:** Agilent 1100 (HPLC) - Agilent (DAD)**Lab Tech:** Marchel Crawford

Analyte	Weight (%)	Result (mg/g)	LOQ (mg/g)
CBDV	0.184	1.84	0.650
CBDA	ND	ND	0.650
CBN	ND	ND	0.650
CBD	ND	ND	0.650
CBGA	1.03	10.3	0.650
CBG	0.289	2.89	0.650
THCV	0.0827	0.827	0.650
Δ^9 -THC	7.18	71.8	0.650
Δ^8 -THC	ND	ND	0.650
THCA	27.6	276	0.650
CBC	ND	ND	0.650
Total CBD	ND	ND	
Total THC	31.4	314	


NOTES: mg/L = ppm, μ g/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited

Cannabinoid Distribution (%)



Terpenoid

Date Completed: 11/21/2024

Instrument: HP 6890 (GC) - Agilent (FID)

Lab Tech: Marchel Crawford


Analyte	Result (mg/g)	Result (%)	LOD (µg/mL)	LOQ (µg/mL)
α-Pinene	0.574	0.0574	6.25	12.5
Camphene	< LOQ	< LOQ	6.25	12.5
Myrcene	0.982	0.0982	6.25	12.5
a-Terpinene	< LOQ	< LOQ	6.25	12.5
β-pinene	0.772	0.0772	6.25	12.5
3-Carene	< LOQ	< LOQ	6.25	12.5
Ocimene	< LOQ	< LOQ	6.25	12.5
Delta-limonene	4.07	0.407	6.25	12.5
p-Cymene	< LOQ	< LOQ	6.25	12.5
Eucalyptol	< LOQ	< LOQ	6.25	12.5
γ-Terpinene	< LOQ	< LOQ	6.25	12.5
Terpinolene	< LOQ	< LOQ	6.25	12.5
Linalool	1.47	0.147	6.25	12.5
Isopulegol	< LOQ	< LOQ	6.25	12.5
Geraniol	< LOQ	< LOQ	6.25	12.5
β-Caryophyllene	5.70	0.570	6.25	12.5
Humulene	2.46	0.246	6.25	12.5
cis-Nerolidol	< LOQ	< LOQ	6.25	12.5
trans-Nerolidol	< LOQ	< LOQ	6.25	12.5
Nerolidol	< LOQ	< LOQ	6.25	12.5
Guaiaol	< LOQ	< LOQ	6.25	12.5
Caryophyllene oxide	< LOQ	< LOQ	6.25	12.5
α-Bisabolol	1.27	0.127	6.25	12.5
Total Terpenes:	18.3	1.83		

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited



Foreign Materials

PASS

Date Completed:

Instrument: NA

Lab Tech: Lab Technician

Analyte	Pass/Fail	Comments
Foreign Materials	Pass	N/A

Heavy Metals

PASS

Date Completed:

Instrument: Perkin Elmer Elan DRC II (ICP-MS)

Lab Tech: Olivia Webb

Analyte	Result (ppm)	Threshold (ppm)	LOD (ppm)	LOQ (ppm)	Pass/Fail
Cadmium	ND	0.200	0.0500	0.100	Pass
Lead	ND	0.500	0.125	0.250	Pass
Arsenic	< LOQ	0.200	0.0500	0.100	Pass
Mercury	ND	0.100	0.0250	0.0500	Pass

Moisture Content

PASS

Date Completed:

Instrument: NA

Lab Tech: Marchel Crawford

Analyte	Result (%)	Pass/Fail
Moisture Content	10.7	Pass

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited

Mycotoxins

PASS**Date Completed:** 11/21/2024**Instrument:** Agilent 1200 (HPLC) - Agilent 6460 (QQQ)**Lab Tech:** Wes Owen

Analyte	Result (ppb)	Threshold (ppb)	Pass/Fail
Aflatoxin B1	ND	N/A	
Aflatoxin B2	ND	N/A	
Aflatoxin G1	ND	N/A	
Aflatoxin G2	ND	N/A	
Ochratoxin A	ND	20.0	Pass
Total Aflatoxins	ND	20.0	Pass

Pesticide Profile

PASS**Date Completed:** 11/21/2024**Instrument:** Agilent 1200 (HPLC) - Agilent 6460 (QQQ)**Lab Tech:** Wes Owen

Analyte	Result (ppm)	LOQ (ppm)	Threshold (ppm)	Pass/Fail
Abamectin	ND	0.250	0.500	Pass
Azoxystrobin	ND	0.100	0.200	Pass
Bifenazate	ND	0.100	0.200	Pass
Etoazole	ND	0.100	0.200	Pass
Imazalil	ND	0.100	0.200	Pass
Imidacloprid	ND	0.200	0.400	Pass
Malathion	ND	0.100	0.200	Pass
Myclobutanil	ND	0.100	0.200	Pass
Permethrin	ND	0.100	0.200	Pass
Spinosad	0.117	0.100	0.200	Pass
Spiromesifen	ND	0.100	0.200	Pass
Spirotetramat	ND	0.100	0.200	Pass
Tebuconazole	ND	0.200	0.400	Pass

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited

Residual Solvents

PASS**Date Completed:** 11/21/2024 **Instrument:** Agilent 6890N (Headspace GC) - Agilent 5973 (MS) **Lab Tech:** Lab Technician

Analyte	Result (ppm)	LOQ (ppm)	Threshold (ppm)	Pass/Fail
Acetone	62.5	20.0	1000	Pass
Benzene	ND	1.00	2.00	Pass
Butane	ND	20.0	1000	Pass
Heptane	37.7	20.0	1000	Pass
n-Hexane	ND	20.0	60.0	Pass
Isopropyl alcohol	ND	20.0	1000	Pass
n-Pentane	32.3	20.0	1000	Pass
Propane	ND	20.0	1000	Pass
Toluene	ND	20.0	180	Pass
Total xylenes (m, p, o-xylenes)	ND	20.0	430	Pass
Methanol	578	20.0	600	Pass
Ethanol	ND	20.0	5000	Pass
Ethyl Acetate	ND	20.0	1000	Pass

Water Activity

PASS**Date Completed:** 11/18/2024**Instrument:** Rotronic Hygrola6 HC2-AW**Lab Tech:** Olivia Webb

Analyte	Finding	Threshold	Pass/Fail
Water Activity	0.508	0.65	Pass



Approved By: Lab Director
Transparent Testing, LLC
11/21/2024

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited